

5. Management Status of Radioactive Solid Waste by Fiscal Year

Power station	fiscal year	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
		Hokuriku Electric Power Co., Inc. Shika Power Station	Amount of drums generated (number of drums)							0	248
Amount of drums of storage accumulated (number of drums)								0	248	468	692
Amount of reduction of drums of incineration etc. (number of drums)								0	0	0	0
Amount of reduction of drums carried out (number of drums)								0	0	0	0
Amount of other kinds of generation (equivalent to the number of drums)								0	16	0	0
Amount of other kinds of storage accumulated (equivalent to the number of drums)								0	16	16	16
Amount of reduction of other kinds of compressions etc. (equivalent to the number of drums)								0	0	0	0
Amount of storing equipment capacity (equivalent to the number of drums)								5,000	5,000	5,000	5,000
Chugoku Electric Power Co., Inc. Shimane Power Station	Amount of drums generated (number of drums)	822	1,165	1,650	1,394	1,452	1,798	2,096	1,907	2,337	1,911
	Amount of drums of storage accumulated (number of drums)	19,853	19,245	20,059	20,888	21,647	22,459	24,020	23,793	24,166	23,723
	Amount of reduction of drums of incineration etc. (number of drums)	1,183	1,773	836	565	693	986	535	534	684	754
	Amount of reduction of drums carried out (number of drums)	0	0	0	0	0	0	0	1,600	1,280	1,600
	Amount of other kinds of generation (equivalent to the number of drums)	333	277	387	92	136	373	877	582	769	329
	Amount of other kinds of storage accumulated (equivalent to the number of drums)	1,239	1,516	*1 1,450	1,496	1,628	1,953	2,830	3,326	4,095	4,243
	Amount of reduction of other kinds of compressions etc. (equivalent to the number of drums)	0	0	454	46	4	48	0	86	0	181
	Amount of storing equipment capacity (equivalent to the number of drums)	35,500	35,500	35,500	35,500	35,500	35,500	35,500	35,500	35,500	35,500

Note: \*1 The reason why the sum of total amount of storage at the end of the previous fiscal year and the amount of generation in fiscal year concerned does not correspond to the values is due to the error from rounding off the conversion calculation.