① Commercial Power Reactor Facilities

i) Solid Waste Storehouses

| Power station | | Drums (number of drums) | | | | Others*1 (equivalent to the number of drums) | Total (equivalent to the number of | Storage equipment capacity |
|--|--|----------------------------|-------------------|----|--------------|--|------------------------------------|-------------------------------------|
| | | Solidified waste | Injected grout | | Miscellaneou | ıs solid waste | drums) *1 | (equivalent to the number of drums) |
| Japan Atomic Power Company Co., Ltd. Tokai Power Station | Amountin storageat the end of FY2001 | - | - | | 168 | 192 | 360 | |
| | Amount generated in FY2002 | - | - | | 260 | 344 | 604 | |
| | Amountreduced in FY 2002 | - | 1 | | 340 | 316 | 656 | |
| | reduction within station | - | ı | *1 | 340 | *1 316 | 656 | |
| | reduction outside station | - | ı | | 0 | 0 | 0 | 1,600 |
| | Amount of storageat the end of FY2002 | - | - | | 88 | 220 | 308 | |
| | Amountin storageat the end of FY2001 | 224 | - | | 16,490 | 23,696 | 40,410 | |
| I At D | Amount generated in FY2002 | 0 | - | | 368 | 1,384 | 1,752 | |
| Japan Atomic Power Company Co., Ltd. | Amountreduced in FY 2002 | 0 | - | | 1,072 | 0 | 1,072 | 1 |
| Tokai Daini Power Station | reduction within station *3 | 0 | - | *2 | 1,072 | 0 | 1,072 | |
| Tokai Daini Towei Station | reduction outside station | 0 | - | | 0 | 0 | 0 | 73,000 |
| | Amount of storage at the end of FY2002 | 224 | - | *3 | 16,126 | *3 25,396 | 41,746 | ĺ |
| | Amountin storageat the end of FY2001 | 3,363 | - | | 33,075 | 27,044 | 63,482 | |
| | Amount generated in FY2002 | 104 | - | | 128 | 2,988 | 3,220 | |
| Japan Atomic Power Company Co., Ltd. | Amountreduced in FY 2002 | 0 | _ | | 0 | 2,688 | 2,688 | |
| Tsuruga Power Station | reduction within station | 0 | _ | | 0 | 2,688 | 2,688 | |
| | reduction outside station | 0 | - | | 0 | 0 | 0 | 85,000 |
| - | Amount of storage at the end of FY2002 | 3,467 | - | | 33,203 | 27,344 | 64,014 | ĺ |
| | Amountin storageat the end of FY2001 | 13,345 | 1,368 | | 150,658 | 5,873 | 171,244 | |
| | Amountgenerated in FY2002 | 0 | 4,540 | | 9,454 | 594 | 14,588 | |
| Tokyo Electric Power Co., Inc. | Amountreduced in FY 2002 | 0 | 4,000 | | 11,556 | 0 | 15,556 | |
| | reduction within station | 0 | 0 | | 11,556 | 0 | 11,556 | |
| Fukushima Daiichi Nuclear Power Station | reduction outside station | 0 | 4,000 | | 0 | 0 | 4,000 | 284,500 |
| | Amount of storage at the end of FY2002 | 13,345 | 1,908 | | 148,556 | 6,467 | 170,276 | 20.,200 |
| | Amountin storageat the end of FY2001 | 2,669 | _ | | 19,723 | 0 | 22,392 | |
| | Amount generated in FY2002 | 0 | 299 | | 1,054 | 0 | 1,353 | |
| Tokyo Electric Power Co., Inc. | Amountreduced in FY 2002 | 2,072 | 0 | | 1,102 | 3,174 | 3,174 | |
| | reduction within station | 0 | 0 | | 1,102 | 0 | 1,102 | |
| Fukushima Daini Nuclear Power Station | reduction outside station | 2,072 | 0 | | 0 | 0 | 2,072 | 32,000 |
| | Amount of storage at the end of FY2002 | 597 | 299 | | 19,675 | 0 | 20,571 | 22,000 |
| Tokyo Electric Power Co., Inc. Kashiwazaki-Kariwa Nuclear Power Station | Amountin storageat the end of FY2001 | 0 | - | | 9,641 | 0 | 9,641 | |
| | Amount generated in FY2002 | 0 | 0 | | 862 | 0 | 862 | |
| | Amountreduced in FY 2002 | 0 | 0 | | 140 | 0 | 140 | |
| | reduction within station | 0 | 0 | | 140 | 0 | 140 | |
| | reduction outside station | 0 | 0 | | 0 | 0 | 0 | 30,000 |
| | Amount of storage at the end of FY2002 | 0 | 0 | | 10,363 | 0 | 10,363 | 30,000 |

 $^{{\}bf *1}$ This is the amount of waste transported to Tokai Daini Power Station.

^{*2} This includes the waste (880) reduced at the Tokai Power Station.

^{*3} This includes the waste that was transported from the Tokai Power Station.

 $[\]ast 4$ The value was calculated assuming that 99 100-liter drums equal 50 200-liter drums.

| Power station | | Drums (number of drums) | | | Others*1 (equivalent to the number of dnums) | Total (equivalent to the number of | Storage equipment capacity |
|--|--|----------------------------|-------------------|--------------|--|------------------------------------|--|
| | | Solidified waste | Injected grout | Miscellaneou | ıs solid waste | drums) *1 | (equivalent to the number of drums) |
| Chubu Electric Power Co., Inc. Hamaoka Nuclear Power | Amountin storageat the end of FY2001 | 3,242 | 1,012 | 6,011 | 24,820 | 35,085 | |
| | Amount generated in FY2002 | 8 | 1,840 | 188 | 1,804 | 3,840 | |
| | Amountreduced in FY 2002 | 0 | 1,080 | 2,574 | 0 | 3,654 | |
| | reduction within station | 0 | 0 | 2,574 | 0 | 2,574 | |
| Station | reduction outside station | 0 | 1,080 | 0 | 0 | 1,080 | 42,000 |
| | Amount of storage at the end of FY2002 | 3,250 | 1,772 | 3,625 | 26,624 | 35,271 | |
| | Amountin storageat the end of FY2001 | 8 | - | 1,756 | 68 | 1,832 | |
| Halaarilaa Elaatai a Daaraa | Amount generated in FY2002 | 0 | - | 112 | 0 | 112 | |
| Hokuriku Electric Power Co. | Amountreduced in FY 2002 | 0 | - | 0 | 0 | 0 | |
| Shika Nuclear Power | reduction within station | 0 | - | 0 | 0 | 0 | |
| Station Station | reduction outside station | 0 | - | 0 | 0 | 0 | 5,000 |
| | Amount of storage at the end of FY2002 | 8 | - | 1,868 | 68 | 1,944 | 1 |
| | Amountin storageat the end of FY2001 | 210 | - | 22,371 | 5,722 | 28,303 | |
| Cl. I. Fl. (' D | Amountgenerated in FY2002 | 0 | 0 | 1,359 | 411 | 1,770 |] |
| Chugoku Electric Power Co., Inc. | Amountreduced in FY 2002 | 0 | 0 | 737 | 30 | 767 | |
| GI: N I D | reduction within station | 0 | 0 | 737 | 30 | 767 | |
| Shimane Nuclear Power Station | reduction outside station | 0 | 0 | 0 | 0 | 0 | 35,500 |
| | Amount of storage at the end of FY2002 | 210 | 0 | 22,993 | 6,103 | 29,306 | 35,500 |
| | Amountin storageat the end of FY2001 | 1,104 | _ | 2,546 | 214 | 3,864 | |
| | Amount generated in FY2002 | 100 | _ | 268 | 12 | 664 | 1 |
| Hokkaido Electric Power Co., Inc. | Amountreduæd in FY 2002 | 664 | _ | 0 | 0 | 0 | 1 |
| coi, mei | reduction within station | 0 | _ | 0 | 0 | 664 | 1 |
| Tomari Power Station | reduction outside station | 664 | _ | 0 | 0 | 0 | 18,000 |
| Tomari Tower Station | Amount of storage at the end of FY2002 | 540 | _ | 2,814 | 225 | 3,579 | 10,000 |
| | Amountin storageat the end of FY2001 | 2,636 | _ | 22,853 | 2,283 | 27,772 | |
| | Amount generated in FY2002 | 120 | 1,156 | 2,166 | 62 | 3,504 | 1 |
| Kansai Electric Power Co., Inc. | Amountreduced in FY 2002 | 496 | 0 | 2,044 | 0 | 2,540 | 1 |
| inc. | reduction within station | 0 | 0 | 2,044 | 0 | 2,044 | 1 |
| Mihama Power Station Kansai Electric Power Co., Inc. Takaha ma Power Station | reduction outside station | 496 | 0 | 2,044 | 0 | 496 | 35,000 |
| | Amount of storage at the end of FY2002 | 2,260 | 1,156 | 22,975 | 2,345 | 28,736 | 33,000 |
| | Amountin storageat the end of FY2001 | 3,877 | - | 25,429 | 1,417 | 30,723 | |
| | Amount generated in FY2002 | 148 | _ | 1,193 | 34 | 1,375 | 1 |
| | Amountreduæd in FY 2002 | 0 | _ | 797 | 0 | 797 | 1 |
| | reduction within station | 0 | - | 797 | 0 | 797 | 1 |
| | reduction outside station | 0 | _ | 0 | 0 | 0 | 50,600 |
| | Amount of storage at the end of FY2002 | | - | | | | 30,000 |
| Kansai Electric Power Co., Inc. Ohi Power Station | Amountin storageat the end of FY2001 | 4,025 | 1 600 | 25,825 | 1,451 | 31,301 | |
| | Amount generated in FY2002 | 2,439 | 1,699 | 18,887 | 3,189 | 26,214 | |
| | Amountreduced in FY 2002 | 160 | 1,680 | 1,781 | 612 | 4,233 | |
| | reduction within station | 0 | 1,360 | 2,726 | 0 | 4,086 | |
| | reduction outside station | 0 | | 2,726 | 0 | 2,726 | 20 000 |
| | | | 1,360 | | | 1,360 | 38,900 |
| | Amount of storageat the end of FY2002 | 2,599 | 2,019 | 17,942 | 3,801 | 26,361 | |

^{*1} The number of drums for "Others" and "Total" include an error from the rounding off of the conversion calculation for the number of drums.

| Power station | | Drums (number of drums) | | | Others*1 (equivalent to the number of drums) | Total (equivalent to the number of | Storage equipment capacity |
|------------------------------------|--|----------------------------|----------------|--------------|--|------------------------------------|---|
| | | Solidified waste | Injected grout | Miscellaneou | ıs solid waste | drums) *1 | (equivalent to the number of drums) |
| | Amountin storageat the end of FY2001 | 1,567 | - | 10,206 | 3,605 | 15,378 | |
| Shikoku Electric Power Co., | Amount generated in FY2002 | 116 | - | 2,220 | 978 | 3,314 | |
| Inc. | Amountreduæd in FY 2002 | 0 | - | 791 | 0 | 791 | |
| | reduction within station | 0 | - | 791 | 0 | 791 | |
| Ikata Power Station | reduction outside station | 0 | - | 0 | 0 | 0 | 38,500 |
| | Amount of storage at the end of FY2002 | 1,683 | - | 11,635 | 4,583 | 17,901 | |
| Kyushu Electric Power Co., | Amountin storageat the end of FY2001 | 2,474 | - | 14,371 | 1,229 | 18,074 | |
| | Amount generated in FY2002 | 353 | - | 2,641 | 241 | 3,235 | |
| Inc. | Amountreduæd in FY 2002 | 0 | - | 856 | 310 | 1,166 | |
| | reduction within station | 0 | - | 856 | 310 | 1,166 | |
| Genkai Nuclear Power Station | reduction outside station | 0 | - | 0 | 0 | 0 | 29,000 |
| | Amount of storage at the end of FY2002 | 2,827 | - | *4 16,156 | 1,160 | 20,143 | |
| Kyushu Electric Power Co., Inc. | Amountin storageat the end of FY2001 | 1,767 | - | 6,797 | 1,125 | 9,689 | |
| | Amount generated in FY2002 | 54 | - | 484 | 11 | 549 | |
| | Amountreduæd in FY 2002 | 0 | - | 463 | 0 | 463 | |
| | reduction within station | 0 | - | 463 | 0 | 463 | |
| Sendai Nuclear Power Station | reduction outside station | 0 | - | 0 | 0 | 0 | 17,000 |
| | Amount of storage at the end of FY2002 | 1,821 | - | 6,818 | 1,136 | 9,775 | |

^{*1} This is the amount of waste transported to Tokai Daini Power Station.

^{*2} This includes the waste (880) reduced at Tokai Power Station.

^{*3} This includes the waste that was transported from Tokai Power Station.

^{*4} The value was calculated assuming that 99 100-liter drums equal 50 200-liter drums.