## (3) Fabrication Facility

		Radioactive gaseous waste	Radioactive liquid waste
		Uranium	Uranium
Facility		[IJ]	[U]
Tuesti,		$(Bq/cm^3)$	$(Bq/cm^3)$
	Processing facilities	•	*
Global Nuclear Fuel-Japan Co.,	total	N.D.	N.D.
Ltd.	Control concentration		
	targets	1.5E-09	8E-03
Mitsubishi Nuclear Fuel Co., Ltd.	Processing facilities		
	total	N.D.	N.D.
	Control concentration		
	targets	1.5E-09	8E-03
	Processing facilities		
Nuclear Fuel Industries, Ltd.	total	1.6E-10	N.D.
Tokai Works	Control concentration	4 55 00	05.00
	targets	1.5E-09	8E-03
Nuclear Fuel Industries I td	Processing facilities total	N.D.	N.D.
Nuclear Fuel Industries, Ltd. Kumatori Works	Control concentration	N.D.	N.D.
	targets	1.5E-09	8E-03
*13	Processing facilities	1102 00	*14
Japan Atomic Energy Agency	total	N.D.	3.5E-04
Ningyo-toge Environmental Engineering Center	Control concentration		
Uranium enrichment prototype plant	targets	1E-08	5E-03
Japan Nuclear Fuel Ltd.	Processing facilities		
Uranium Enrichment Plant/Low-	total	N.D.	N.D.
level Radioactive Waste Disposal	Control concentration	2E-08	1E-03
(Fabrication facility)	targets	ZL-00	1L-03

Notes: Values lower than the detection limit of radioactivity are indicated as N.D. The detection limits are as follows.  $(Bq/cm^3)$ 

	lioactive gaseous wastedioactive liquid waste	
Global Nuclear Fuel-Japan Co., Ltd.	3.1E-11 or less	3.0E-04 or less
Mitsubishi Nuclear Fuel Co., Ltd.	1.0E-10 or less	4.0E-04 or less
Nuclear Fuel Industries, Ltd., Tokai Works	1.3E-10 or less	3.4E-04 or less
Nuclear Fuel Industries, Ltd., Kumatori Works		1.1E-03 or less
Exhaust stack (1)	1.5E-10 or less	
Exhaust stack (2)	1.5E-10 or less	
Japan Atomic Energy Agency		
Ningyo-toge Environmental Engineering Center,	1.0E-10 or less	3.0E-04 or less
Prototype Uranium Enrichment Plant		
Japan Nuclear Fuel Ltd., Enrichment and Burial Plant	2E-09 or less	1E-04 or less
(fabrication facility)		

<sup>\*13:</sup> Hereinafter, it will be referred to as the "Japan Atomic Energy Agency, Prototype Uranium Enrichment Plant."

<sup>\*14:</sup> Water discharge was not conducted in the first, second, or fourth quarter.