

(3) Fuel Manufacturing Facilities

Facility	Item	Gaseous Radioactive Waste	Liquid Radioactive Waste
		Uranium [U] (Bq/cm ³)	Uranium [U] (Bq/cm ³)
Global Nuclear Fuel-Japan Co., Ltd.	Processing facilities total	N.D.	N.D.
	Concentration control target value	1.5E-09	8E-03
Mitsubishi Nuclear Fuel Co., Ltd.	Processing facilities total	1.0E-10	N.D.
	Concentration control target value	1.5E-09	8E-03
Nuclear Fuel Industries, Ltd., Tokai Works	Processing facilities total	N.D.	N.D.
	Concentration control target value	1.5E-09	8E-03
Nuclear Fuel Industries, Ltd., Kumatori Works	Processing facilities total	N.D.	N.D.
	Concentration control target value	1.5E-09	8E-03
Japan Atomic Energy Agency, *12 Ningyo-toge Environmental Engineering Center, Uranium Enrichment Demonstration Plant	Processing facilities total	N.D.	*13 N.D.
	Concentration control target value	*14 1E-08	*14 5E-03
Japan Nuclear Fuel Ltd., Enrichment and Disposal Office (Uranium Enrichment Plant)	Processing facilities total	N.D.	N.D.
	Concentration control target value	2E-08	1E-03

Note: Values lower than the detection limit of radioactivity are indicated as N.D.

The detection limits are as follows. (Bq/cm³)

	Gaseous Radioactive Waste	Liquid Radioactive Waste
Global Nuclear Fuel-Japan Co., Ltd.	3.1E-11 or less	3.0E-04 or less
Mitsubishi Nuclear Fuel Co., Ltd.	1.0E-10 or less	4.0E-04 or less
Nuclear Fuel Industries, Ltd., Tokai Works	1.3E-10 or less	3.4E-04 or less
Nuclear Fuel Industries, Ltd., Kumatori Works		1.1E-03 or less
	Exhaust port (1)	1.5E-10 or less
	Exhaust port (2)	1.5E-10 or less
Japan Atomic Energy Agency, Ningyo-toge Environmental Engineering Center, Uranium Enrichment Demonstration Plant	1.0E-10 or less	3.0E-04 or less
Japan Nuclear Fuel Ltd., Enrichment and Disposal Office (Uranium Enrichment Plant)	2E-09 or less	1E-04 or less

*12: Hereinafter referred to as the "Japan Atomic Energy Agency, Uranium Enrichment Demonstration Plant."

Water discharge was not conducted in the first, second, and fourth quarters.

*13: Water discharge was not conducted in the first, second, and fourth quarters.

*14: Average concentration control target values (Bq/cm³) over a period of three months