## (3) Fuel Manufacturing Facilities

		Radioactive	Radioactive
		Gaseous Waste	Liquid Waste
		Uranium	Uranium
Facility	Item	[U]	[U]
	nem	$(Bq/cm^3)$	$(Bq/cm^3)$
	Processing Facilities	(Dq/em)	(Bq/cm)
Global Nuclear Fuel Japan Co	Total	N.D.	N.D.
Global Nuclear Fuel-Japan Co., Ltd.	Concentration Control	N.D.	IV.D.
	Target	1.5E-09	8E-03
	Processing Facilities		
Mitsubishi Nuclear Fuel Co.,	Total	1.0E-10	4.2E-04
Ltd.	Concentration Control		
	Target	1.5E-09	8E-03
	Processing Facilities		
Nuclear Fuel Industries, Ltd.,	Total	N.D.	N.D.
Tokai Works	Concentration Control		
	Target	1.5E-09	8E-03
	Processing Facilities	ND	ND
Nuclear Fuel Industries, Ltd., Kumatori Works	Total Concentration Control	N.D.	N.D.
		1.5E-09	8E-03
*11	Target Processing Facilities	1.5E-09	*12
Japan Atomic Energy Agency,	Total	N.D.	N.D.
Ningyo-toge Environmental	Concentration Control		*13
Uranium Enrichment Demonstration Plant	Target	1E-08	5E-03
	Processing Facilities		
Japan Nuclear Fuel Ltd.,	Total	N.D.	N.D.
Enrichment and Disposal Office	Concentration Control		
(Uranium Enrichment Plant)	Target	2E-08	1E-03

Note: N.D. is used to indicate values lower than the detection limit concentration.

The detection limit concentrations (Bq/cm<sup>3</sup>) are as follows.

The detection limit concentrations (Bq/cm <sup>2</sup> ) are as follows.			
	Radioactive Gaseous Waste	Radioactive Liquid Waste	
Global Nuclear Fuel-Japan Co., Ltd.	3.1E-11 or less	3.0E-04 or less	
Mitsubishi Nuclear Fuel Co., Ltd.	1.0E-10 or less	4.0E-04 or less	
Nuclear Fuel Industries, Ltd., Tokai Works	1.3E-10 or less	3.4E-04 or less	
Nuclear Fuel Industries, Ltd., Kumatori Works		1.1E-03 or less	
Exhaust port (1)	1.5E-10 or less		
Exhaust port (2)	1.5E-10 or less		
Japan Atomic Energy Agency,			
Ningyo-toge Environmental Engineering Center,			
Uranium Enrichment Demonstration Plant	Less than 1.0E-10	Less than 3.0E-04	
Japan Nuclear Fuel Ltd., Enrichment and Disposal			
Office(Uranium Enrichment Plant)	2E-09 or less	1E-04 or less	

\*11: Hereafter, "Japan Atomic Energy Agency, Uranium Enrichment Demonstration Plant"

\*12: Water release was not performed in the first, second, or fourth quarters.

\*13: Average concentration control targets (Bq/cm<sup>3</sup>) over a three-month period